



## The National Perinatal HIV Hotline & Clinicians' Network

CityMatCH Conference  
September 19, 2011  
Shannon Weber, MSW  
sweber@nccc.ucsf.edu



### National HIV/AIDS Clinicians' Consultation Center UCSF – San Francisco General Hospital

#### **Warmline**

**(800) 933 - 3413**

Consultation on all aspects of HIV testing and clinical care

#### **PEPline**

**(888) 448 - 4911**

Recommendations on managing occupational exposures to HIV and hepatitis B & C

#### **Perinatal HIV Hotline**

**(888) 448 - 8765**


Advice on testing and care of HIV-infected pregnant women and their infants

Referral to HIV specialists and regional resources

HRSA AIDS ETC Program & Community Based Programs, HIV/AIDS Bureau & Centers for Disease Control and Prevention (CDC)

[www.nccc.ucsf.edu](http://www.nccc.ucsf.edu)

Facebook: National HIV/AIDS Clinicians Consultation Center



## Perinatal HIV Hotline & Clinicians Network

Funded by a grant from HRSA AIDS Education and Training Centers Program (AETCs) & Community Based Programs, HIV/AIDS Bureau



 National HIV/AIDS Clinicians' Consultation Center



## Our Mission

To eliminate perinatal HIV transmission by supporting clinicians through two key services:

### The National Perinatal HIV Hotline

- Direct access to experts for personalized consultation about HIV-infected women and their infants. Free and available 24-hours day

### The National Perinatal HIV Clinicians Network

- Referrals to local perinatal HIV experts for consultation, co-management or transfer of care

**1-888-448-8765**



**National HIV/AIDS  
Clinicians' Consultation Center**




## Perinatal HIV Hotline

We offer:

- direct access to experts for clinical consultation
- staffed by a multidisciplinary team of clinicians with expertise in perinatal HIV care
  - infectious disease specialists, family physicians, internists, obstetricians, and clinical pharmacists
- free, confidential, 24 hours a day



**National HIV/AIDS  
Clinicians' Consultation Center**




## Perinatal HIV Hotline

### Call Topics

- Contraception/Preconception care 6%
- HIV testing 22%
- Antepartum care 49%
- Intrapartum care 24%
- Infant care 29%
- Other (references, referrals, etc...) 10.4%


# Perinatal HIV Hotline

### Caller Profession



# Perinatal HIV Hotline

### Caller's HIV+ Patient Load



## ● ● ● Perinatal HIV Hotline

### Providing critical support

- Inexperienced HIV providers
- Isolated clinicians
- Experts seeking 2<sup>nd</sup> opinions
- Complicated cases, co-infections, MDR
- Care during labor and delivery
- Patients on inappropriate regimens



## ● ● ● Perinatal HIV Hotline Call #1

A 30 year old HIV+ G3P1 at 30 weeks gestation presented with ROM for about a day. She is not in labor.

The woman has a long-standing history of crack use and did not consistently take ART during her pregnancy. Two months prior to presentation, VL was 40,000 and CD4=230.

*How do we balance the risks of prematurity with those of HIV transmission?*



## ● ● ● | Perinatal HIV Hotline Call #2

38 year old HIV- woman recently transferred care to the caller's practice. Her husband is 37 years old and HIV+.

His CD4 nadir 620, viral load 8300

No history of hospitalizations, OIs

ARV-naïve

She explains they want to have a baby.

*"How can we have a baby safely?"*



## ● ● ● | Perinatal HIV Hotline Call #3

32 year old woman presented to care at 37 weeks

HIV test returns positive

ARV treatment given on emergent basis

Infant is born 5 days later: HIV negative.

Review of the mom's medical chart revealed a positive HIV antibody test 2 years earlier during a previous pregnancy



## ● ● ● | Perinatal HIV Hotline Call #3

During previous pregnancy she presented similarly at 37 weeks and was tested for HIV.

The results came back two weeks later, on the day she delivered at another hospital. Neither the patient nor the hospital were aware of her results.

Her first child tested positive for HIV after her HIV status was rediscovered and disclosed in her second pregnancy.

*What were the missed opportunities?*



## ● ● ● | Perinatal HIV Clinicians Network

A national directory of perinatal HIV experts

Connecting clinicians with local perinatal HIV consultants for

- one-time consultation
- co-management
- complete transfer of care





## Perinatal HIV Clinicians Network

### Case: A newly HIV-diagnosed pregnant woman

A family physician in an isolated area called regarding one of his HIV+ patients who had just become pregnant. The nearest perinatal HIV program was several hours away by airplane. The Network Coordinator helped the caller locate a local midwife interested in the case and set up co-management between the two providers. A Perinatal HIV Hotline consultant worked with the team to ensure that state-of-the-art care was provided for the woman.



## Special Services for Clinicians




# Compendium of State HIV Testing Laws

[www.nccc.ucsf.edu](http://www.nccc.ucsf.edu)



Collaboration with *One Test. Two Lives.*



- CDC developed provider campaign
- Promotes HIV testing as a routine part of prenatal care

[www.cdc.gov/1test2lives](http://www.cdc.gov/1test2lives)



IDSOG

## ReproIDHIV Listserv



The **ReproIDHIV** listserv is a forum for discussing clinical cases, finding patient referrals, sharing protocols and upcoming events, and networking with colleagues.

Sponsored by

**UCSF National HIV/AIDS Clinicians' Consultation Center**  
**Infectious Disease Society of Obstetricians and Gynecologists (IDSOG)**  
**UCSF Fellowship in Reproductive Infectious Disease**

To be added to the listserv contact:  
Shannon Weber [sweber@nccc.ucsf.edu](mailto:sweber@nccc.ucsf.edu)